



ACUTE INTESTINAL INFECTIONS OF VIRAL AND BACTERIAL ETIOLOGY

Radjabova Azizakhanum Farmonovna
Bukhara State Medical Institute

Summary

The article presents modern data on etiology of acute intestinal infections, their clinical manifestations, modern approaches to diagnosis and treatment. The questions of probiotic and metabolic therapy in acute intestinal infections are discussed. The antimicrobial, antitoxic, enzymatic action of a preparation based on the concentrate of metabolic products of saccharolytic (*L. acidophilus*, *L. helveticus* and *E. faecalis*) and proteolytic (*E. coli*) microflora, is explained. Evidence of its effectiveness in the treatment of infectious diarrhea of different etiologies in children is presented.

Keywords: Children, Diagnostics, Infectious diarrhea, Metabiotics, Acute Intestinal infections, pediatric, Probiotics, Gastroenterology, Infection, Pharmacology

ОСТРЫЕ КИШЕЧНЫЕ ИНФЕКЦИИ ВИРУСНОЙ И БАКТЕРИАЛЬНОЙ ЭТИОЛОГИИ

Раджабова Азизаханум Фармоновна
Бухарский государственный медицинский институт

Резюме

В статье представлены современные данные об этиологии острых кишечных инфекций, их клинических проявлениях, современные подходы к диагностике и лечению. Обсуждаются вопросы пробиотической и метаболической терапии острых кишечных инфекций. Объяснено противомикробное, антитоксическое, ферментативное действие препарата на основе концентрата продуктов метаболизма сахаролитической (*L. acidophilus*, *L. helveticus* и *E. faecalis*) и протеолитической (*E. coli*) микрофлоры. Приведены доказательства его эффективности при лечении инфекционных диарей различной этиологии у детей.

Ключевые слова: Дети, Диагностика, Инфекционные диареи, Метабиотики
Острые кишечные





инфекции, Педиатрия, Пробиотики, Гастроэнтерология, Инфекции Фармакология.

Relevance

Acute intestinal infections (AII) remain a significant health problem in all countries of the world and are among the leading causes of morbidity, hospitalization and mortality, especially in childhood [1]. According to WHO, about 1.7 billion cases of acute diarrhea are registered in children every year in the world, and 525,000 children under the age of five die from it [2]. In Russia, in the structure of infectious morbidity, acute intestinal infections still occupy a significant place, the second after acute respiratory viral infections, and in 2016 compared to 2015, there was an increase in the incidence of acute intestinal infections of unspecified etiology by 5% (364.88 cases per 100 thousand population), norovirus infection by 38% (15.51), a high incidence of rotavirus infection (83.26) and salmonellosis (26.03) remained [3]. Etiology of acute intestinal infections. Acute intestinal infections are a polyetiological group of diseases (bacterial, viral or protozoal), which are united by the development of the symptom complex of acute diarrhea [4]. In different countries, the etiological structure of AEI may differ significantly [5]. The main causative agents of bacterial AII are microorganisms of the Enterobacteriaceae family. The role of about 50 serovars of the genus *Salmonella* in the development of pathology in humans, mainly *Salmonella* group B, is known. *S. enteritidis* has become most widespread in recent years. Shigellosis, or dysentery, is caused by bacteria of the genus *Shigella*, which includes more than 40 serological variants, with Flexner and Sonne shigella being the most common. In recent years, there has been an increase in the proportion of dysentery caused by *Shigella flexner* 2a, which is characterized by a pronounced destructive component in inflammation of the colon. A characteristic property of *Shigella* has become a high polyresistance to the main, most commonly used antibacterial agents. Of the other bacterial agents, pathogenic *Escherichia* are of significant importance in children as etiological agents of AII. There are five groups of pathogenic bacteria of the genus *Escherichia*, causative agents of escherichiosis:

1. Enteropathogenic *Escherichia coli* (EPEC) are the causative agents of colienteritis in children.
2. Enteroinvasive *Escherichia coli* (EIEC) cause dysentery-like diseases in children and adults. Strains O124 and O151 are of the greatest importance.





3. Enterotoxigenic *Escherichia coli* (ETEC) cause cholera-like diseases in children and adults, these include serogroups O6, O8, O15, O20, O25, O27, O63, O78, O115, O148, O159, etc.

4. Enterohemorrhagic *Escherichia coli* (EHEC) are the causative agents of dysentery-like diseases in both children and adults. These include strains O157: H7, O141, producing Shiga-like toxin (SLT-Shigalike-toxin).

5. Enteroaggregative *Escherichia coli* (EA_gKP) cause long-term diarrhea in children and adults, which is associated with strong adhesion of bacteria on the surface of the epithelium of the mucous membrane of the small intestine. Of the pathogenic bacteria, the causative agents of AEI are also *Yersinia* (*Yersenia enterocolitica*, of the known 30 serovars of which O3, O4, O5, O8 are of primary importance in human pathology), cholera vibrios and NAG vibrios. Conditionally plays an important role in the development of AEI in children. pathogenic microflora. The diseases caused by it are more often the result of the activation of one's own endogenous flora as a result of the failure of the body's defense system, which explains the associated development of a severe form of the disease and the difficulty in treatment. Among the most relevant opportunistic pathogens are bacteria of the genus *Citrobacter*, *Staphylococcus aureus*, *Klebsiella*, *Hafnia*, *Serratia*, *Proteus*, *Morganella*, *Providencia*, *Bacillus cereus*, *Clostridium perfringens*, etc. *Clostridium difficile* bacteria cause colon lesions in the form of pseudomembranous colitis in patients receiving intensive antibiotic therapy [4].

The etiological agents of bacterial AEI in children depend on the geographical region. In developing countries, *Vibrio cholerae* still causes epidemics, but the most common bacterial causative agent of AII is *Shigella*, particularly in Africa and South Asia. In Europe, the most common bacterial pathogens are *Campylobacter*, *Salmonella* spp., enteropathogenic and enteroaggregative *E. coli*. In a recent study in central China, the most frequently detected enteric pathogens were *Salmonella* spp. (8%), pathogenic *E. coli* (5%), *Campylobacter jejuni* (3%) and *Aeromonas* spp. (2%) [5]. Viruses are the predominant etiological factors of acute intestinal infections in children, especially young children, and especially in children of the first year of life. Thus, up to 80–90% of cases of acute diarrhea in children are virus-associated [6, 7]. According to systematic reviews, currently the leading cause of sporadic cases and outbreaks of acute gastroenteritis (AGE) in all age groups is norovirus infection, which accounts for almost a fifth of AGE. The development of severe OGE in children is associated with noroviruses [8]. Despite the introduction of vaccination against rotavirus infection in many countries, rotaviruses remain an actual cause of OGE, especially in young children, causing more than 200 thousand deaths, mainly in





underdeveloped countries [9, 10]. The etiological agents of viral AII are also adenoviruses of serovars 40 and 41, enteroviruses of serovar 73, coronaviruses, caliciviruses and astroviruses. The causal role of thoroviruses, picornaviruses, and bocaviruses in the development of acute diarrhea is being studied [6]. Acute intestinal infections are one of the most serious problems of modern medicine. They cause a huge number of diseases around the world and, in particular, annually lead to the death of 2.5-3.2 million children under the age of five years. In developed countries, mortality is significantly lower than in developing countries, however, high incidence (tens of millions of cases annually) leads to heavy burdens on healthcare systems and large economic losses [18].

The most common agent causing outbreaks of acute gastroenteritis is norovirus (old name Norfolk virus, after the city in Ohio where it was first identified). More than 90% of cases of gastroenteritis of non-bacterial origin and about half of all cases of epidemiological gastroenteritis are caused by norovirus [4]. It is common in both developing and developed countries, affecting both children and adults. The contagiousness of the virus is very high. Approximately 23 million cases of norovirus-associated disease are reported in the United States each year [16], the vast majority of all viral gastrointestinal infections. The cause of most acute viral intestinal infections in Russia in both children and adults is also norovirus [1, 2]. The main route of spread is through household contacts, as well as infection by inhalation of aerosols containing particles of the patient's vomit. Outbreaks of the disease occur during sanitary violations, in particular, when the contents of the sewer enter the water supply [6]. Most outbreaks occur in limited groups: schools, kindergartens, summer camps, hospitals, health care facilities, nursing homes, ships, etc.

Once in the external environment, norovirus remains viable for many days (up to a month). It is resistant to high and low temperatures, some disinfectants, ultraviolet radiation. Such resistance is one of the factors that ensure the high contagiousness of the virus.

Literature

1. Ш.Ш Шодиева, Г.Б Жураева, Н.Н Хабибова, Г.С Рамазонова . Изменения в показателях местного и гуморального иммунитета организма у больных хроническим генерализованным пародонтитом // Российская стоматология. 2016. №1(9). С. 130-133.





2. Giyazova M. M. Modern Treatment of Diseases of the Oral Mucosa and Periodontal Under the Influence of Covid 19 // International Journal on Integrated Education. Volume 4, Issue 10, Oct 2021 P. 96- 98
3. Giyazova M. M. Specificity of the course and improvement of treatment of diseases of the oral mucosa and periodontal cavity under the influence of covid 19 // International scientific and practical online conference. ACTUAL PROBLEMS PEDIATRIC DENTISTRY» 10- may 2021. P. 336
4. Giyazova M. M. Specificity of the Course and Improvement of Treatment of Diseases of the Oral Mucosa and Periodontal Cavity under the Influence of Covid 19 // International Conference on Social and Humanitarian Research 7-18th September, 2021, Poland ISBN: 978-83-956810-7- 3. P. 116-117
5. Giyazova M. M. Olimov S. Sh. MODERN ORAL INFECTION IN PATIENTS WITH COVID 19 DISEASES // 2nd International Conference on Science Technology and Educational Practices Hosted from Samsun, Turkey <http://euroasiaconference.com> May 15th -16 th 2021. P. 266 – 267
6. Giyazova M. M., Olimov S. Sh. Changes in the oral cavity in patients with covid 19 diseases // Journal For Innovative Development in Pharmaceutical and Technical Science (JIDPTS) Volume:4, Issue:5, May:2021 (J I D P T S) ISSN(O):2581-693 P.79 – 81
7. Shodiya SHADIYEVA, Malika GIYAZOVA. Comorbidity of periodontal and gastrointestinal diseases // Society and innovations Journal home page: P. 424 – 425
8. Ильясов Азиз Саидмурадович, Гиязова Малика. Мухаммадовна КАЛАМУШЛАР ТЎҒРИ ИЧАГИНИНГ ЛИМФОИД ШАКЛЛАНИШИНИНГ ТУЗИЛИШИ ВА ТАРҚАЛИШИ // Биология ва тиббиёт муаммолари 2021, №4 (129) 184 – 187 б
9. И.Ш.Садиков., М.М. Гиязова., Е.К.Эронов Динамика изменение бохимических показателей крови животных при остром отравление протиофосфом // « Наука молодых» . С. 27 – 29
10. Н.К.Рузиева., М.М. Гиязова., Г.С. Ниёзова. Изучение антропометрических показателей у детей 3 – летного возраста в норме и у детей с детским церебральным параличом // Материалы XIV международной Научно – практической конференции молодых ученых 28 апреля 2016 года. С. 73 – 76
11. Шадиева Ш.Ш., Гиязова М.М. Сочетанная патология: заболевания пародонта и гастродуоденальной зоны // STOMATOLOGIYA № 2 (83) 2021. С.80 – 83



12. Giyazova M.M. Structure Of Treatment of Diseases of The Oral Mucosa and Periodontal Under the Influence of Covid 19 // Eurasian Scientific Herald. Volume 3| December, 2021. P. 37-40
13. Гиязова М.М., Саноева М.Ж. «Нейростоматологические особенности поражения структур рта при короновирусной инфекции» // Нейродегенеративные и сосудистые заболевания нервной системы. Республика научно – практическая конференция (с международным участием) С. 28 – 29
14. Ш.Ш Шодиева. Клинико-иммунологические особенности состояния полости рта и цитокинового статуса ротовой жидкости у больных хроническим генерализованным пародонтитом// Вестник Совета молодых учёных и специалистов Челябинской области. 2015. № 3 (10) С. 48-51
15. Shodiya Shukhratovna Shadieva Role of immune mechanisms in patients with inflammatory periodontal pathology // European research: innovation in science, education and technology. 2019. P. 73-75
16. Ш.Ш Шодиева. Роль иммунных механизмов у больных с воспалительной патологией пародонта // Новый день в медицине. 2020 № 4. С. 707-709
17. ШШ Шодиева, АС Алимов, АА Хаджиметов Характер изменений белка острой фазы-лактоферрина в слюне при пародонтите различной степени тяжести // Международный журнал прикладных и фундаментальных исследований. 2015 № 8 (4). С. 694-696
18. Шодия Шухратовна Шадиева Изменение стоматологического статуса и качества жизни у пациентов с helicobacter pylori-ассоциированной функциональной диспепсией // Gospodarka i Innowacje. 2022 № 21. С. 283-284
19. Шодия Шадиева, Малика Гиязова Коморбидность болезней пародонта и желудочно-кишечного тракта // Общество и инновации. 2021. №2. С. 424-428
20. Шодия Шухратовна Шадиева Роль иммунных механизмов у больных с воспалительной патологией пародонта // Новый день в медицине. 2020. №4. С. 707-709
21. Шадиева Шодия Шухратовна, Алимов Алишер Садыкович Роль защитных факторов крови и ротовой жидкости при воспалительных заболеваниях пародонта // Европейское научное обозрение. 2018. №5- 6.
22. Шодия Шухратовна Шадиева, Алишер Садыкович Алимов Роль защитных факторов крови и ротовой жидкости при воспалительных заболеваниях пародонта // Европейское научное обозрение 2018. № 5-6. С. 220-224



23. ШШ Шодиева, АС Алимов, АА Хаджиметов Установление характера изменений белка острой фазы-лактоферрина в слюне при пародонтите различной степени тяжести // Российская стоматология. 2016. №1(9). С. 129
24. Шодиева Ш.Ш. Клинико-иммунологические особенности состояния полости рта и цитокинового статуса ротовой жидкости у больных хроническим генерализованным пародонтитом // Вестник СМУС74. 2015. №3 (10).
25. Шодия Шухратовна Шадиева Роль иммунных механизмов у пациентов с воспалительной патологией пародонта // Европейские исследования: инновации в науке, образовании и технологиях 2019. С. 73-75
26. Шодия Шухратовна Шадиева Изменение стоматологического статуса и качества жизни у пациентов с helicobacter pylori-ассоциированной функциональной диспепсией // Биология и интегративная медицина 2021.№ 6 (53). С. 424-426
27. Saibov H. M. et al. ANALYSIS OF AUTOPSY EXAMINATION DATA OF THE BUKHARA REGIONAL BUREAU OF FORENSIC MEDICAL EXAMINATION FOR THE PERIOD OF 2019 YEAR //Новый день в медицине. – 2021. – №. 1. – С. 149-153.
28. Mavlonovich S. H. FORENSIC CRITERIA FOR DETERMINING THE TIME OF TRAUMATIC BRAIN INJURIES //Web of Scientist: International Scientific Research Journal. – 2022. – Т. 3. – №. 10. – С. 296- 301.

